MEMORANDUM TO FILE

DATE: July 3, 2006

COUNCIL FILE NO.: 94-1243

RE: EXPIRED COUNCIL FILE

This memorandum notes the expiration of the accompanying Council file/contents; the file is deemed terminated (received and filed) and the subject matter contained herein is closed. No other action is forthcoming.

Pursuant to Council action of September 13, 2005, all Council files pending before the City Council, which have not been placed on a Council or Committee agenda for consideration for a period of two years or more, are deemed received and filed (CF 05-0553). City Clerk, Council File Index Section: 213.978.1044

Brian Walters
Legislative Assistant

PLACE IN FILES

JUL 0 3 2006

DEPUTY

cc: Index Section

O:\Docs\Reports\expfiles

Hoper Call List

Barbara Hubbard
(818) 896-0899

Arnease Finley
(818) 899 6453

(1)

I WISH TO BE HEARD BEFORE THE CITY COUNCIL

AGENDA ITEM NO. 94-1243 TODAY'S DATE 7-21-94

I am speaking FOR [ ] AGAINST [ ] the Agenda Recommendation

COUNCIL FILE NO.: 94-1243

SUBJECT: Lopez Canyon Land fill

Name: Edward KUSSMAN

Street: 12721 Filmore St

City: Pacoima Ca

Telephone: 818 896 1307

Are you speaking on your own behalf? YES [✓] NO [ ]

If NO, and you are being compensated to speak for or represent someone other than yourself, please disclose who you are representing:

Name:

Street:

City:

(over)

What relationship do you have with the person you are speaking for or representing? (Check as many as apply)

[ ] Lobbyist for person. [ ] Employee of the person.

[ ] Attorney for person. [ ] Other:_____.

Are you registered as a Lobbyist with the City Ethics Commission?*

YES [ ] NO [ ]

* Any questions about the City's Lobbying Law should be directed to the City Ethics Commission at (213) 237-0310. You may also go to the Commission Office at 201 N. Los Angeles Street, L.A. Mall, Suite 2, Los Angeles, CA 90012.

PLEASE GIVE THIS CARD TO ONE OF THE TWO POLICE OFFICERS AT THE FRONT OF THE COUNCIL ROOM WELL BEFORE YOUR ITEM IS TO BE HEARD BY THE CITY COUNCIL.

I WISH TO BE HEARD BEFORE THE CITY COUNCIL

AGENDA ITEM NO. 1 TODAY'S DATE 7/27/94

I am speaking FOR [X] AGAINST [ ] the Agenda Recommendation

COUNCIL FILE NO.: 94-1243 CD7

SUBJECT: LOPEZ CANYON LANDFILL

Name: SANDY HUBBARD

Street: 11500 LUANDA ST.

City: LAKE VIEW TERRACE 91342-6535

Telephone: 213-965-3785 (WORK) (818) 897-0110 (HOME)

Are you speaking on your own behalf? YES [X] NO [ ]

If NO, and you are being compensated to speak for or represent someone other than yourself, please disclose who you are representing:

Name:

Street:

City:

(over)

What relationship do you have with the person you are speaking for or representing? (Check as many as apply)

[ ] Lobbyist for person. [ ] Employee of the person.

[ ] Attorney for person. [ ] Other:_____.

Are you registered as a Lobbyist with the City Ethics Commission?*

YES [ ] NO [X]

* Any questions about the City's Lobbying Law should be directed to the City Ethics Commission at (213) 237-0310. You may also go to the Commission Office at 201 N. Los Angeles Street, L.A. Mall, Suite 2, Los Angeles, CA 90012.

PLEASE GIVE THIS CARD TO ONE OF THE TWO POLICE OFFICERS AT THE FRONT OF THE COUNCIL ROOM WELL BEFORE YOUR ITEM IS TO BE HEARD BY THE CITY COUNCIL.

(3)

I WISH TO BE HEARD BEFORE THE CITY COUNCIL

AGENDA ITEM NO. Special Joint Meeting TODAY'S DATE 7-27-94

I am speaking FOR [ ] AGAINST [ ] the Agenda Recommendation

COUNCIL FILE NO.: 94-1243

SUBJECT: Lopez Landfill

Name: Phyllis Hines

Street: 11511 Orcas Ave

City: Lake View Terrace CA 91342

Telephone: (818) 897-7649

Are you speaking on your own behalf? YES [X] NO [ ]

If NO, and you are being compensated to speak for or represent someone other than yourself, please disclose who you are representing:

Name: _____

Street: _____

City: _____

(over)

What relationship do you have with the person you are speaking for or representing? (Check as many as apply)

[ ] Lobbyist for person. [ ] Employee of the person.

[ ] Attorney for person. [ ] Other:_____.

Are you registered as a Lobbyist with the City Ethics Commission?*

YES [ ] NO [ ]

* Any questions about the City's Lobbying Law should be directed to the City Ethics Commission at (213) 237-0310. You may also go to the Commission Office at 201 N. Los Angeles Street, L.A. Mall, Suite 2, Los Angeles, CA 90012.

PLEASE GIVE THIS CARD TO ONE OF THE TWO POLICE OFFICERS AT THE FRONT OF THE COUNCIL ROOM WELL BEFORE YOUR ITEM IS TO BE HEARD BY THE CITY COUNCIL.

(M)

I WISH TO BE HEARD BEFORE THE CITY COUNCIL

AGENDA ITEM NO. Special Joint Mtg. TODAY'S DATE 7/27/94

I am speaking FOR [ ] AGAINST [ ] the Agenda Recommendation

COUNCIL FILE NO.: 94-1243 CD 7

SUBJECT: Lopez Landfill

Name: Liselotte Crowell

Street: 11555 Jeff Ave.

City: Lake View Terrace

Telephone: 818 899 4951

Are you speaking on your own behalf? YES [✓] NO [ ]

If NO, and you are being compensated to speak for or represent someone other than yourself, please disclose who you are representing:

Name:

Street:

City:

(over)

What relationship do you nave with the person you are speaking for or representing? (Check as many as apply)

[ ] Lobbyist for person. [ ] Employee of the person.

[ ] Attorney for person. [ ] Other:_____.

Are you registered as a Lobbyist with the City Ethics Commission?*

YES [ ] NO [ ]

* Any questions about the City's Lobbying Law should be directed to the City Ethics Commission at (213) 237-0310. You may also go to the Commission Office at 201 N. Los Angeles Street, L.A. Mall, Suite 2, Los Angeles, CA 90012.

PLEASE GIVE THIS CARD TO ONE OF THE TWO POLICE OFFICERS AT THE FRONT OF THE COUNCIL ROOM WELL BEFORE YOUR ITEM IS TO BE HEARD BY THE CITY COUNCIL.

(5)

I WISH TO BE HEARD BEFORE THE CITY COUNCIL

AGENDA ITEM NO. 94-1243 GDT TODAY'S DATE 7/27/94

I am speaking FOR [X] AGAINST [ ] the Agenda Recommendation

COUNCIL FILE NO.: ~~Lopez Canyon Landfill~~ 94-1243

SUBJECT: Lopez Cyn Landfill

Name: ARNEASE Finlay

Street: 11967 Jouett St

City: Lake View Terrace, CA 91342

Telephone: (818) 8996453

Are you speaking on your own behalf? YES [X] NO [ ]

If NO, and you are being compensated to speak for or represent someone other than yourself, please disclose who you are representing:

Name:

Street:

City:

(over)

What relationship do you nave with the person you are speaking for or representing? (Check as many as apply)

[ ] Lobbyist for person. [ ] Employee of the person.

[ ] Attorney for person. [ ] Other:_____.

Are you registered as a Lobbyist with the City Ethics Commission?*

YES [ ] NO [X]

* Any questions about the City's Lobbying Law should be directed to the City Ethics Commission at (213) 237-0310. You may also go to the Commission Office at 201 N. Los Angeles Street, L.A. Mall, Suite 2, Los Angeles, CA 90012.

PLEASE GIVE THIS CARD TO ONE OF THE TWO POLICE OFFICERS AT THE FRONT OF THE COUNCIL ROOM WELL BEFORE YOUR ITEM IS TO BE HEARD BY THE CITY COUNCIL.

6

I WISH TO BE HEARD BEFORE THE CITY COUNCIL

AGENDA ITEM NO. 1 TODAY'S DATE 7/27/94

I am speaking FOR [X] AGAINST [ ] the Agenda Recommendation

COUNCIL FILE NO.: 94-1243

SUBJECT: Lopez Landfill

Name: Barbara Hubbard

Street: 11381 Goleta St.

City: Lake View Terrace Ca. 91342

Telephone: (818) 896-0899

Are you speaking on your own behalf? YES [X] NO [ ]

If NO, and you are being compensated to speak for or represent someone other than yourself, please disclose who you are representing:

Name:

Street:

City:

(over)

What relationship do you have with the person you are speaking for or representing? (Check as many as apply)

[ ] Lobbyist for person. [ ] Employee of the person.

[ ] Attorney for person. [ ] Other:_____.

Are you registered as a Lobbyist with the City Ethics Commission?*

YES [ ] NO [ ]

* Any questions about the City's Lobbying Law should be directed to the City Ethics Commission at (213) 237-0310. You may also go to the Commission Office at 201 N. Los Angeles Street, L.A. Mall, Suite 2, Los Angeles, CA 90012.

PLEASE GIVE THIS CARD TO ONE OF THE TWO POLICE OFFICERS AT THE FRONT OF THE COUNCIL ROOM WELL BEFORE YOUR ITEM IS TO BE HEARD BY THE CITY COUNCIL.

(1)

I WISH TO BE HEARD BEFORE THE CITY COUNCIL

AGENDA ITEM NO. _____ TODAY'S DATE 7-27-94

I am speaking FOR [ ] AGAINST [✓] the Agenda Recommendation

COUNCIL FILE NO.: _____

SUBJECT: Lopez canyon Land fill.

Name: Francisco Flores

Street: 10585 Telfair ave

City: Pacoima Ca 91331

Telephone: (818) 899-6727

Are you speaking on your own behalf? YES [✓] NO [ ]

If NO, and you are being compensated to speak for or represent someone other than yourself, please disclose who you are representing:

Name: _____

Street: _____

City: _____

(over)

What relationship do you have with the person you are speaking for or representing? (Check as many as apply)

[ ] Lobbyist for person. [ ] Employee of the person.

[ ] Attorney for person. [ ] Other:_____.

Are you registered as a Lobbyist with the City Ethics Commission?*

YES [ ] NO [ ]

* Any questions about the City's Lobbying Law should be directed to the City Ethics Commission at (213) 237-0310. You may also go to the Commission Office at 201 N. Los Angeles Street, L.A. Mall, Suite 2, Los Angeles, CA 90012.

PLEASE GIVE THIS CARD TO ONE OF THE TWO POLICE OFFICERS AT THE FRONT OF THE COUNCIL ROOM WELL BEFORE YOUR ITEM IS TO BE HEARD BY THE CITY COUNCIL.

(8)

I WISH TO BE HEARD BEFORE THE CITY COUNCIL

AGENDA ITEM NO. _____ TODAY'S DATE 7-27-94

I am speaking FOR [ ] AGAINST [√] the Agenda Recommendation

COUNCIL FILE NO.: _____

SUBJECT: Lopez canyon Land filed

Name: Leopoldo Rocha

Street: 9009 Tobias Ave

City: Panorama City 91402

Telephone: (818) 830-3757

Are you speaking on your own behalf? YES [√] NO [ ]

If NO, and you are being compensated to speak for or represent someone other than yourself, please disclose who you are representing:

Name: _____

Street: _____

City: _____

(over)

What relationship do you have with the person you are speaking for or representing? (Check as many as apply)

[ ] Lobbyist for person. [ ] Employee of the person.

[ ] Attorney for person. [ ] Other:_____.

Are you registered as a Lobbyist with the City Ethics Commission?*

YES [ ] NO [ ]

* Any questions about the City's Lobbying Law should be directed to the City Ethics Commission at (213) 237-0310. You may also go to the Commission Office at 201 N. Los Angeles Street, L.A. Mall, Suite 2, Los Angeles, CA 90012.

PLEASE GIVE THIS CARD TO ONE OF THE TWO POLICE OFFICERS AT THE FRONT OF THE COUNCIL ROOM WELL BEFORE YOUR ITEM IS TO BE HEARD BY THE CITY COUNCIL.

(9)

I WISH TO BE HEARD BEFORE THE CITY COUNCIL

AGENDA ITEM NO. _____ TODAY'S DATE 7-27-91

I am speaking FOR [ ] AGAINST [ ] the Agenda Recommendation

COUNCIL FILE NO.: _____

SUBJECT: Lopez Canyon Landfield

Name: Ramses Altamirano

Street: 13222 Terra Bella

City: Pacoima, Ca. 91331

Telephone: (818) 834-4692

Are you speaking on your own behalf? YES [ ] NO [ ]

If NO, and you are being compensated to speak for or represent someone other than yourself, please disclose who you are representing:

Name: _____

Street: _____

City: _____

(over)

What relationship do you have with the person you are speaking for or representing? (Check as many as apply)

[ ] Lobbyist for person. [ ] Employee of the person.

[ ] Attorney for person. [ ] Other:_____.

Are you registered as a Lobbyist with the City Ethics Commission?*

YES [ ] NO [ ]

* Any questions about the City's Lobbying Law should be directed to the City Ethics Commission at (213) 237-0310. You may also go to the Commission Office at 201 N. Los Angeles Street, L.A. Mall, Suite 2, Los Angeles, CA 90012.

PLEASE GIVE THIS CARD TO ONE OF THE TWO POLICE OFFICERS AT THE FRONT OF THE COUNCIL ROOM WELL BEFORE YOUR ITEM IS TO BE HEARD BY THE CITY COUNCIL.

(10)

I WISH TO BE HEARD BEFORE THE CITY COUNCIL

AGENDA ITEM NO. _____ TODAY'S DATE _____

I am speaking FOR [ ] AGAINST [✓] the Agenda Recommendation

COUNCIL FILE NO.: _____

SUBJECT: WHAT ACTIONS ARE TAKEN WHEN IT RAINS, & THE LANDFILL DOES BECOME DANGEROUS

Name: LOANA MARTIN

Street: 7317 ARCOLA

City: SUN VALLEY

Telephone: (818) 767-1089

Are you speaking on your own behalf? YES [✓] NO [ ]

If NO, and you are being compensated to speak for or represent someone other than yourself, please disclose who you are representing:

Name: _____

Street: _____

City: _____

(over)

What relationship do you have with the person you are speaking for or representing? (Check as many as apply)

[ ] Lobbyist for person. [ ] Employee of the person.

[ ] Attorney for person. [ ] Other:_____.

Are you registered as a Lobbyist with the City Ethics Commission?*

YES [ ] NO [ ]

* Any questions about the City's Lobbying Law should be directed to the City Ethics Commission at (213) 237-0310. You may also go to the Commission Office at 201 N. Los Angeles Street, L.A. Mall, Suite 2, Los Angeles, CA 90012.

PLEASE GIVE THIS CARD TO ONE OF THE TWO POLICE OFFICERS AT THE FRONT OF THE COUNCIL ROOM WELL BEFORE YOUR ITEM IS TO BE HEARD BY THE CITY COUNCIL.



(11)

I WISH TO BE HEARD BEFORE THE CITY COUNCIL

AGENDA ITEM NO. _____ TODAY'S DATE _____

I am speaking FOR [ ] AGAINST [ ] the Agenda Recommendation

COUNCIL FILE NO.: _____

SUBJECT: _____

_____

_____

Name: JOEL RUCKER

Street: 10711 KURT STREET

City: LAKEVIEW TERRACE, CA.

Telephone: (818) 899-1138

Are you speaking on your own behalf? YES [ ] NO [X]

If NO, and you are being compensated to speak for or represent someone other than yourself, please disclose who you are representing:

Name: PACOIMA CHAMBER OF COMMERCE

Street: 11243 GLENOAKS BOULEVARD; PACOI

City: PACOIMA, CALIFORNIA 91331

(818) 899-7401

(over)

What relationship do you have with the person you are speaking for or representing? (Check as many as apply)

[ ] Lobbyist for person. [ ] Employee of the person.

[ ] Attorney for person. [X] Other: BUSINESS ORGANIZATION

Are you registered as a Lobbyist with the City Ethics Commission?*

YES [ ] NO [X]

* Any questions about the City's Lobbying Law should be directed to the City Ethics Commission at (213) 237-0310. You may also go to the Commission Office at 201 N. Los Angeles Street, L.A. Mall, Suite 2, Los Angeles, CA 90012.

PLEASE GIVE THIS CARD TO ONE OF THE TWO POLICE OFFICERS AT THE FRONT OF THE COUNCIL ROOM WELL BEFORE YOUR ITEM IS TO BE HEARD BY THE CITY COUNCIL.

(7)

I WISH TO BE HEARD BEFORE THE CITY COUNCIL

AGENDA ITEM NO. _____ TODAY'S DATE 7-26-94

I am speaking FOR [ ] AGAINST [ ] the Agenda Recommendation

COUNCIL FILE NO.: 94-1243 CD 7

SUBJECT: LOPEZ CYN LANDFILL

Name: AL HENRIQUEZ

Street: 12560 FILMORE ST.

City: PACOIMA CA 91331

Telephone: 896 6510

Are you speaking on your own behalf? YES [X] NO [ ]

If NO, and you are being compensated to speak for or represent someone other than yourself, please disclose who you are representing:

Name: _____

Street: _____

City: _____

(over)

What relationship do you have with the person you are speaking for or representing? (Check as many as apply)

[ ] Lobbyist for person. [ ] Employee of the person.

[ ] Attorney for person. [ ] Other:_____.

Are you registered as a Lobbyist with the City Ethics Commission?*

YES [ ] NO [x]

* Any questions about the City's Lobbying Law should be directed to the City Ethics Commission at (213) 237-0310. You may also go to the Commission Office at 201 N. Los Angeles Street, L.A. Mall, Suite 2, Los Angeles, CA 90012.

PLEASE GIVE THIS CARD TO ONE OF THE TWO POLICE OFFICERS AT THE FRONT OF THE COUNCIL ROOM WELL BEFORE YOUR ITEM IS TO BE HEARD BY THE CITY COUNCIL.

(13)

I WISH TO BE HEARD BEFORE THE CITY COUNCIL

AGENDA ITEM NO. ___/___ TODAY'S DATE 7/21/94

I am speaking FOR [✓] AGAINST [ ] the Agenda Recommendation

COUNCIL FILE NO.: ___

SUBJECT: Why is it that the city IS braking this promise? Why aren't they closing it down. Why shall the dump be open for five more years? Is there a reason for this?

Name: Carmen Padilla

Street: 7412½ Vineland

City: Sun Valley

Telephone: 982-7467

Are you speaking on your own behalf? YES [✓] NO [ ]

If NO, and you are being compensated to speak for or represent someone other than yourself, please disclose who you are representing:

Name: ___

Street: ___

City: ___

(over)

What relationship do you have with the person you are speaking for or representing? (Check as many as apply)

[ ] Lobbyist for person. [ ] Employee of the person.

[ ] Attorney for person. [ ] Other:_____.

Are you registered as a Lobbyist with the City Ethics Commission?*

YES [ ] NO [ ]

* Any questions about the City's Lobbying Law should be directed to the City Ethics Commission at (213) 237-0310. You may also go to the Commission Office at 201 N. Los Angeles Street, L.A. Mall, Suite 2, Los Angeles, CA 90012.

PLEASE GIVE THIS CARD TO ONE OF THE TWO POLICE OFFICERS AT THE FRONT OF THE COUNCIL ROOM WELL BEFORE YOUR ITEM IS TO BE HEARD BY THE CITY COUNCIL.

did not speak

I WISH TO BE HEARD BEFORE THE CITY COUNCIL

AGENDA ITEM NO. ~~94-1243~~ 1 TODAY'S DATE 7-27-94

I am speaking FOR [ ] AGAINST [ ] the Agenda Recommendation

COUNCIL FILE NO.: 94-1243 CD7

SUBJECT: Lopez Canyon Landfill

Name: Fr. Tom Rush

Street: 10390 Remick St.

City: Pacoima, CA 91331

Telephone: 818-899-0278

I have a letter to submit

Are you speaking on your own behalf? YES [X] NO [ ]

also as representative of VOICE

If NO, and you are being compensated to speak for or represent someone other than yourself, please disclose who you are representing:

Name:

Street:

City:

(over)

What relationship do you have with the person you are speaking for or representing? (Check as many as apply)

[ ] Lobbyist for person. [ ] Employee of the person.

[ ] Attorney for person. [ ] Other:_____.

Are you registered as a Lobbyist with the City Ethics Commission?*

YES [ ] NO [ ]

* Any questions about the City's Lobbying Law should be directed to the City Ethics Commission at (213) 237-0310. You may also go to the Commission Office at 201 N. Los Angeles Street, L.A. Mall, Suite 2, Los Angeles, CA 90012.

PLEASE GIVE THIS CARD TO ONE OF THE TWO POLICE OFFICERS AT THE FRONT OF THE COUNCIL ROOM WELL BEFORE YOUR ITEM IS TO BE HEARD BY THE CITY COUNCIL.

FORM GEN. 160 (Rev. 6-80)

CITY OF LOS ANGELES

INTER-DEPARTMENTAL CORRESPONDENCE

Date: July 27, 1994

To: Honorable Laura Chick, Chairperson
Environmental Quality and Waste Management Committee
Honorable Richard Alarcón, Chairperson
Public Works Committee

From: Wayne Tsuda, Local Enforcement Agency Program Director
Environmental Affairs Department

Subject: Council File 94-1243 - Environmental Affairs Department Activities Regarding Seepage Incident at Lopez Canyon Landfill

The Local Enforcement Agency of Environmental Affairs Department is transmitting the following for your review, as requested by the July 19, 1994 Council motion sponsored by Councilmember Alarcón and seconded by Councilmember Chick.

1). Report of Environmental Affairs Department activities in response to the water seepage incident at Lopez Canyon Landfill.

2). A list of all special occurence notifications filed with the Environmental Affairs Department Local Enforcement Agency since 1991.

With respect to the water seepage incident at Lopez Canyon Landfill, which was originally reported on July 12, 1994, the Local Enforcement Agency has completed the following activities:

- The LEA has made 4 site visits, which include 3 official inspections. One of these was a joint inspection with the RWQCB.
- The LEA has issued three inspection reports indicating three areas of concern regarding the standing water. These written notices require corrective action by the BOS to remove standing water and report the findings of the investigation into the seep and report what corrective actions will be taken to prevent future occurrences
- The LEA has conducted one interagency coordination meeting.
- The LEA has taken one water sample for analysis.

In addition to the items requested in the 7/19/94 Council motion, the following list of attachments are provided for your information.

1). Analytical results of seepage water sampled on July 12, 1994, by the Bureau of Sanitation.

2). Letter from the Local Enforcement Agency to Mr. Rod Nelson of the Los Angeles California Regional Water Quality Control Board, dated July 26, 1994.

3). Meeting minutes, July 22, 1994, of meeting between representatives of the Bureau of Sanitation, California Regional Water Quality Control Board and the Environmental Affairs Department.

If you have any questions, please contact me at 213/485-9957.

Attachments

c: Honorable Richard Katz
Rod Nelson, CRWQCB
Douglas Okamura, CIWMB
Del Biagi, Bureau of Sanitation

File: D:\WPFILES\LEA_RPTS\EQ-PW1.RPT

REPORT OF ACTIVITIES OF THE ENVIRONMENTAL AFFAIRS DEPARTMENT
REGARDING THE LOPEZ CANYON SEEPAGE INCIDENT
JULY 27, 1994

Summary of Activities

- On July 12, 1994, at 2:45 p.m. the Local Enforcement Agency received a call from Ken Redd of the Bureau of Sanitation (BOS) Lopez Canyon Landfill staff, reporting a "damp spot" at the toe of Canyon "A" which was discovered as a result of excavation. Mr. Redd indicated that the BOS was going to take samples and that the Regional Water Quality Control Board (RWQCB) had already been called.

- On the morning of Friday, July 15, 1994, an inspection of the Lopez Canyon Landfill was conducted by the LEA and a "seep" was observed to be approximately 5 feet by 6 feet in area and 3 inches deep at the deepest spot. Following the inspection, the LEA immediately contacted the RWQCB by means of a special occurrence notification which contained a written request for an inspection. Through follow up calls to RWQCB it was determined that an RWQCB inspection of the seep would be conducted by Monday. After inspection it was noted that the seep had grown significantly in size from what was originally reported and therefore, special occurence notifications were made to the offices of Councilmembers Alarcón, Chick, and Galanter, the Mayor's office, Assemblyman Katz' office, the Bureau of Sanitation, and the California Integrated Waste Management Board. On Friday, the LEA also confirmed that partial results of water samples taken by BOS were available and the complete results would be available by Monday. The LEA requested and received the partial lab results which were forwarded to Councilmember Alarcón's office, and Assemblyman Katz' office. The results were not sent to the RWQCB because they already had them. Lab results were to be discussed with the RWQCB at the next available opportunity.

- On Monday, July 18, 1994, the partially complete water sample results were received by the LEA and forwarded to Councilmember Alarcón's office and Assemblyman Katz' office. The LEA confirmed with the RWQCB that an inspection of the seep had been made by their staff.

- On Tuesday, July 19, 1994, the completed water sample results were received by the LEA and forwarded to Councilmember Alarcón's office and Assemblyman Katz' office.

- On Wednesday, July 20, 1994, the LEA was made aware of the Council motion of July 19th requesting the LEA to provide a detailed report concerning the water seepage incident and prepared a list of all special occurrence notifications from Lopez Canyon Landfill since 1991. Work was begun on that assignment. The LEA followed up with RWQCB staff on the inspection. RWQCB indicated following: that the inspection of the water and the sample results indicated that this may be water perched on a shale deposit

which was released during the excavation for the canyon "A" subdrain, the preliminary results were that no organics were observed and a high "salt" content indicated this water could have been trapped in the marine sediment for a very long time, that the laboratory results did not correlate with landfill leachate analytical results.

- On Thursday, July 21, 1994, the LEA made an additional inspection of Lopez Canyon Landfill and reinspected the seep area. The water was collecting in a bermed area on top of bedrock. The area had grown in size to approximately 8' X 10' and 10 inches deep at the deepest point. The walls of the canyon were damp up to 4 -5 feet. The water was clear, slightly amber in color and had no noticeable odor. An inspection report was issued for the inspection indicating an area of concern for the standing water.

- On Friday, July 22, 1994, the LEA convened a meeting between the RWQCB, the Bureau of Sanitation and its consultants and the LEA to discuss all facts known about the origin of the seepage, short and long term collection, monitoring, and disposal procedures, and overall impact on closure plan implementation. (Meeting minutes are attached as Attachment 3.) It was verbally indicated by RWQCB that the seepage water was to be pumped, contained and tested before release to the sewer. The BOS agreed to this. It was also stated that the landfill closure plans would have to be modified for the subdrain of canyon "A" to incorporate a collection and storage feature for seepage, as a long-term control measure. The BOS agreed to this. The RWQCB asked the BOS to provide any data regarding seepage analyses in canyon "C" or any other analytical results from the same geologic formation (Towelsy) for comparison to the seepage water results. The analysis would only be valid for water samples clearly not contaminated by trash. The consultant for the BOS agreed to look for this data and indicated he would forward the data to the RWQCB. The RWQCB asked if the BOS could provide analysis of a leaching test of the sandstone formation using deionized water to simulate the conditions described by the BOS consultant as causing the seep. There was some discussion and it was decided that this may be done if analytical results from seepage in canyon "C" was not available. In a brief subsequent meeting held between the LEA and RWQCB, it was agreed that a joint inspection of the seep will be made with the RWQCB staff on Tuesday, July 26th of the following week.

  On the afternoon of Friday, July 22, 1994, the LEA made an inspection of the seepage area and observed over 150 gallons of liquid being removed. Mosquito larvae were observed in the ponded liquid. A brief video tape was made by LEA staff documenting the seep and the location around the seep.

- On July 26, 1994, the LEA, with a representative of the RWQCB, made a joint inspection of the seepage area. Standing water was observed to a depth of 10 inches. BOS was in the process of transporting 6 empty 55 gallon drums to the seep to contain the water. A water sample was taken by BOS field staff under LEA supervision when the RWQCB decided not to sample at that time. The sample was subsequently transported to the

Environmental Monitoring Division laboratory for analysis.

Summary of Enforcement Activity by the Local Enforcement Agency (as of 7/26/94)

- The LEA has made 4 site visits, which include 3 official inspections. One of these was a joint inspections with the RWQCB.
- The LEA has issued three inspection reports indicating three areas of concern regarding the standing water. These written notices require corrective action by the BOS to remove standing water and report the findings of the investigation into the seep and report what corrective actions will be taken to prevent future occurrences
- The LEA has conducted one interagency coordination meeting.
- The LEA has taken one water sample for analysis.

WT:wt\d:D:\WPFILES\LEA_RPTS\EQ-PW.RPT

LOPEZ CANYON SANITARY LANDFILL
SPECIAL OCCURRENCE SUMMARY

Notification Date		Special occurrence Topic	Agencies Contacted	LEA Response

(SG)=Sanigram (P)=Phone (NOV)=Notice of Violation (NTC)=Notice to Comply (A/C)=Area of Concern (V)=Violation (FC)=File Correspondance

09/05/91	(FC)	Subsurface Fire		LEA staff verified fire extinguished on 9/13/91
03/15/92	(FC)	Temporary Hazardous Waste Storage		LEA notified after waste was properly removed on March 26, 1992.
04/10/92	(FC)	Gas Collection System Break	RWQCB	Letter to file regarding clean-up on same day of occurance (4/6/92)
06/25/92	(FC)	Flare Station Shutdown	AQMD	Notification only- situation corrected by operator
09/01/92	(FC)	Purge Water/Leachate Disposal	RWQCB	Letter to file regarding clean-up
11/19/92	(FC)	Seep in Disposal Area C	RWQCB	Follow-up notification of seep detected on 11/3/92
02/08/93	(FC)	Entrance Sign		Update re: entrance sign repairs
03/29/93	(SG)	AB+ Drainage Overflow		No recorded EAD inspections until 5/25/93
04/05/93	(SG)	Sunday wrk- Liner construction	none	no response required
04/13/94	(SG)	High wind closure	none	no response required
04/15/93	(SG)	5-7 AM wrk- Phone Installation	none	no response required
06/21/93	(SG)	Elevated temp - Gas Collection		Inspection on 6/25/93 (A/C) Vectors, Gas not mentioned in report
06/30/93	(SG)	Operating Permit Obtained	none	no response required
07/26/93	(P)	Both Scales Inoperative		Inspection on 7/28/93 (A/C) Safety (PPE), Scales not mentioned in report
08/13/93	(P)	Four Wrks Injured by Gas	AQMD	Inspection on 8/13/93 (V) Training, (A/C) General Design Parameters-LEA required development of trenching plan prior to return to installation of horizontal gas lines • 10/13/93 Plan approved Trenching resumed
09/03/93	(SG) & (P)	Gas Header Vertical Line Breakage		Inspection 9/9/93 Pending (V)Training & (A/C) General Design Parameter, vertical gas line breakage not mentioned in report
09/08/93	(SG)	Tillman dirt - Liner Construction	none	no response required
09/17/93	(P)	Medical Waste in load check		Inspection on 9/23/93 Pending (A/C))Training & (A/C) General Design Parameters, Medical Waste item not mentioned in report

LOPEZ CANYON SANITARY LANDFILL
SPECIAL OCCURRENCE SUMMARY

Notification Date		Special occurrence Topic	Agencies Contacted	LEA Response
09/27/93	(P)	Minor Employee Injury	none	no LEA response required
09/29/93	(P)	Broken water line		Inspection on 9/30/93 Pending (A/C))Training & (A/C) General Design Parameters, Water line not mentioned in report
10/07/93	(P)	Leachate collection line damaged		Inspection on10/07/93 No (V) or (A/C) observed, leachate collection line not mentioned in report
10/13/93	(SG) & (P)	Damaged Subdrain -Disposal C		Inspection on 10/13/93 No (V) or (A/C) observed, site safety plan approved and horizontal trenching resumed. Broken pipe repaired and water pumped into drums for testing.
11/01/93	(SG) & (P)	Monitoring Exceedance - SCAQMD, (NTC) issued		Inspection 11/5/93 (A/C) Vector/Bird Control, Report mentions repair of header line that was hit by scrapper on 11/04/93
11/02/93	(SG) & (P)	High wind closure	none	no response required
11/04/93	(SG) & (P)	Gas Header Line Breakage		Inspection 11/5/93 (A/C) Vector/Bird Control, Report mentions repair of header line that was hit by scrapper on 11/04/93
11/08/93	(SG)	Monitoring Exceedance - SCAQMD, (NTC) issued		Inspection 11/8/93 No (V) or (A/C) observed, exceedance not mentioned in report
11/10/93	(SG) & (P)	Gas Well Damage		Inspection 11/19/93 No (V) or (A/C) observed, gas well damage not mentioned in report
11/15/93	(SG) & (P)	High wind closure	none	no response required
11/24/93	(P)	Employee Injury	none	no LEA response required
11/24/93	(FC)	Repaired Grids for Surface Emissions	AQMD	Follow-up letter to AQMD notification of excessive repair attempts for instantaneous surface emissions
11/30/93	(FC)	Storm Drain Line Extenstion	AQMD	Notification of excavation for extension of storm drain line on the face of disposal area C
11/30/93	(SG) & (P)	Monitoring Exceedance - SCAQMD, (NTC) issued		Inspection 12/9/93 No (V) or (A/C) observed,exceedance not mentioned in report
12/08/93	(SG)	Monitoring Exceedance - SCAQMD, (NTC) issued		Inspection 12/9/93 No (V) or (A/C) observed, exceedance not mentioned in report

LOPEZ CANYON SANITARY LANDFILL
SPECIAL OCCURRENCE SUMMARY

Notification Date		Special occurrence Topic	Agencies Contacted	LEA Response
01/28/94	(SG)	Elevated Hydrogen Sulfide Levels		Inspection 1/28/94 (A/C) Vector/Birds observed, elevated hydrogen sulfide levels not mentioned in report
02/03/94	(SG)	Monitoring Exceedance - SCAQMD, (NOV) issued		Inspection 2/4/94 (A/C) Vector/Birds & Traffic Control observed, exceedance not mentioned in report
02/24/94	(FC)	Repaired Grids for Surface Emissions		Notification
07/12/94	(P)	Canyon "A" water seep		Inspection 7/15/94 (A/C) Vectors related to 5x7x3 pond of liquid at bottom of Canyon A

Note:

Operation of the City of Los Angeles Local Enforcement Agency program began in May of 1993. Prior to that date, the Los Angeles County Department of Health Services Local Enforcement Agency was the lead enforcement agency for the Lopez Canyon facility. Records were requested from the County for special occurrence notifications between January 1991 and May of 1993. Ten records were found for that period and are included in this list.

ATTACHMENT ONE

ANALYTICAL RESULTS OF SEEPAGE WATER SAMPLE

PRELIM
QC !
PROJECT

ANALYTICAL REPORT

City of Los Angeles
Solid Waste Managment Division
11950 Lopez Canyon Road
Lake View Terrace, CA 91342

Attn: Ed Figueroa
RE: Lopez Canyon Landfill

Date Sampled: 07/12/94
Date Received: 07/13/94
Date Analyzed: 07/13/94

Work Order No.: 94-07-169
Method: EPA 150.1
Page 1 of 1

All values are reported in pH units.

Sample Number	pH	Reportable Limit
Seepage From Bottom of "A" Canyon	6.74	0.01

Reviewed and Approved _____ on _/_/1994
William H. Christensen
Deliverables Manager

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

PRELIMINARY DATA
QC REVIEW PENDING
PROJECT MANAGER

ANALYTICAL REPORT

City of Los Angeles
Solid Waste Managment Division
11950 Lopez Canyon Road
Lake View Terrace, CA 91342

Attn: Ed Figueroa
RE: Lopez Canyon Landfill

Date Sampled: 07/12/94
Date Received: 07/13/94
Date Analyzed: 07/14/94

Work Order No.: 94-07-169
Method: EPA 410.4
Page 1 of 1

All concentrations are reported in mg/L (ppm).

Sample Number	Oxygen Demand, Chemical Concentration	Reportable Limit
Seepage From Bottom of "A" Canyon	1100	50

Reviewed and Approved _____ on __/__/1994
William H. Christensen
Deliverables Manager

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

PRELIMINARY DATA
QC REVIEW PENDING
PROJECT MANAGER

ANALYTICAL REPORT

City of Los Angeles
Solid Waste Managment Division
11950 Lopez Canyon Road
Lake View Terrace, CA 91342

Attn: Ed Figueroa
RE: Lopez Canyon Landfill

Date Sampled: 07/12/94
Date Received: 07/13/94
Date Analyzed: 07/14/94

Work Order No.: 94-07-169
Method: SM 407A
Page 1 of 1

All concentrations are reported in mg/L (ppm).

Sample Number	Chloride Concentration	Reportable Limit
Seepage From Bottom of "A" Canyon	1800	10

Reviewed and Approved _____ on __/__/1994
William H. Christensen
Deliverables Manager

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

PRELIMINARY DATA
QC REVIEW PENDING
PROJECT MANAGER CM

ANALYTICAL REPORT

City of Los Angeles
Solid Waste Managment Division
11950 Lopez Canyon Road
Lake View Terrace, CA 91342

Attn: Ed Figueroa
RE: Lopez Canyon Landfill

Date Sampled: 07/12/94
Date Received: 07/13/94
Date Filtered: 07/15/94
Date Analyzed: 07/18/94
Work Order No.: 94-07-169
Method: EPA 415.1
Page 1 of 1

All concentrations are reported in mg/L (ppm). Analysis for dissolved iron was conducted on a filtered sample.

Sample Number	Dissolved Iron Concentration	Reportable Limit
Seepage From Bottom of "A" Canyon	50.6	1.0
Method Blank	ND	1.0

Reviewed and Approved _____ on __/__/1994
William H. Christensen
Deliverables Manager

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

PRELIMINARY DATA
QC REVIEW PENDING
PROJECT MANAGER

ANALYTICAL REPORT

City of Los Angeles
Solid Waste Managment Division
11950 Lopez Canyon Road
Lake View Terrace, CA 91342

Attn: Ed Figueroa
RE: Lopez Canyon Landfill

Date Sampled: 07/12/94
Date Received: 07/13/94
Date Analyzed: 07/14/94

Work Order No.: 94-07-169
Method: EPA 415.1
Page 1 of 1

All concentrations are reported in mg/L (ppm).

Sample Number	Total Organic Carbon Concentration	Reportable Limit
Seepage From Bottom of "A" Canyon	309	5

Reviewed and Approved _____ on ___/___/1994
William H. Christensen
Deliverables Manager

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

PRELIMINARY DATA
QC REVIEW PENDING
PROJECT MANAGER CBQ

ANALYTICAL REPORT

City of Los Angeles
Solid Waste Managment Division
11950 Lopez Canyon Road
Lake View Terrace, CA 91342

Attn: Ed Figueroa
RE: Lopez Canyon Landfill

Date Sampled: 07/12/94
Date Received: 07/13/94
Date Analyzed: 07/18/94

Work Order No.: 94-07-169
Method: EPA 9020A
Page 1 of 1

All concentrations are reported in mg/L (ppm).

Sample Number	Total Organic Halides Concentration	Reportable Limit
Seepage From Bottom of "A" Canyon	0.97	0.10

Reviewed and Approved _____ on ../../1994
William H. Christensen
Deliverables Manager

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

[illegible] DATE
CC REVIEW PENDING
PROJECT MANAGER [illegible]

ANALYTICAL REPORT

City of Los Angeles
Solid Waste Management Division
11950 Lopez Canyon Road
Lake View Terrace, CA 91342

Attn: Javier Polanco
RE: Lopez Canyon Landfill

Date Sampled: 07/12/94
Date Received: 07/13/94
Date Analyzed: 07/13-15/94

Work Order No.: 94-07-169

All concentrations are reported in mg/L (ppm) unless otherwise noted.

Analyte	Method	Concentration	Reportable Limit
Sample Number: Seepage From "A" Canyon			
Alkalinity (as $CaCO_3$)	SM 403	1570	10
Bicarbonate (as $CaCO_3$)	SM 403	1570	10
Carbon Dioxide	SM 406C	571	5
Cyanide, Total	EPA 335.2	ND	0.05
Hardness, Total	EPA 130.2	4700	35
Nitrogen, Ammonia	EPA 350.2	3.1	0.1
Nitrogen, Nitrate	SM 418 AM	ND	0.1
pH	EPA 150.1	6.74 pH units	0.01 pH units
Solids, Total Dissolved	EPA 160.1	8550	1
Specific Conductance	EPA 120.1	8550 µmho/cm	10 µmho/cm
Sulfate	EPA 375.4	2430	200
Sulfide, Total	EPA 376.2	ND	0.1
Sample Number: Method Blank			
Alkalinity (as $CaCO_3$)	SM 403	ND	1
Bicarbonate (as $CaCO_3$)	SM 403	ND	1
Carbon Dioxide	SM 406C	ND	1
Cyanide, Total	EPA 335.2	ND	0.05
Hardness, Total	EPA 130.2	ND	2
Nitrogen, Ammonia	EPA 350.2	ND	0.1
Nitrogen, Nitrate	SM 418 AM	ND	0.1
Solids, Total Dissolved	EPA 160.1	ND	1
Sulfate	EPA 375.4	ND	2
Sulfide, Total	EPA 376.2	ND	0.05

PRELIMINARY DATA
QC REVIEW PENDING
PROJECT MANAGER CBC

PRELIMINARY DATA
QC REVIEW PENDING
PROJECT MANAGER CBC

City of Los Angeles
Solid Waste Managment Division
11950 Lopez Canyon Road
Lake View Terrace, CA 91342

Attn: Ed Figueroa
RE: Lopez Canyon Landfill

Date Sampled: 07/12/94
Date Received: 07/13/94
Date Digested: 07/13/94
Date Analyzed: 07/14/94
Work Order No.: 94-07-169

Page 1 of 1

All concentrations are reported in mg/L (ppm). Analyses for metals were conducted on a total digestion.

Sample Number: Seepage From Bottom of "A" Canyon

Analyte	Method	Concentration	Reportable Limit
Boron	EPA 200.7	8.7	0.3
Calcium	EPA 200.7	1830	3.0
Iron	EPA 200.7	5010	10.0
Magnesium	EPA 200.7	2010	7.0
Manganese	EPA 200.7	70.7	0.1
Potassium	EPA 200.7	260	70.0
Sodium	EPA 200.7	895	30.0

Sample Number: Method Blank

Boron	EPA 200.7	ND	0.3
Calcium	EPA 200.7	ND	0.3
Iron	EPA 200.7	ND	1.0
Magnesium	EPA 200.7	ND	0.7
Manganese	EPA 200.7	ND	0.1
Potassium	EPA 200.7	ND	7.0
Sodium	EPA 200.7	ND	3.0

Reviewed and Approved _____ on __/__/1994
William H. Christensen
Deliverables Manager

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

PRELIMINARY DATA
QC REVIEW PENDING
PROJECT MANAGER

ANALYTICAL REPORT

City of Los Angeles
Solid Waste Managment Division
11950 Lopez Canyon Road
Lake View Terrace, CA 91342

Attn: Ed Figueroa
RE: Lopez Canyon Landfill

Date Sampled: 07/12/94
Date Received: 07/13/94
Date Digested: 07/13/94
Date Analyzed: 07/14/94
Work Order No.: 94-07-169

Page 1 of 1

All concentrations are reported in mg/L (ppm). Analyses for Title 22 metals were conducted on a total digestion.

Sample Number: Seepage From Bottom of "A" Canyon

Analyte	Method	Concentration	Reportable Limit
Antimony	EPA 200.7	ND	1.0
Arsenic	EPA 200.7	ND	1.0
Barium	EPA 200.7	16.5	0.2
Beryllium	EPA 200.7	ND	0.1
Cadmium	EPA 200.7	ND	0.1
Chromium(Total)	EPA 200.7	ND	0.3
Cobalt	EPA 200.7	1.3	0.3
Copper	EPA 200.7	5.3	0.5
Lead	EPA 200.7	ND	1.2
Mercury	EPA 245.1	0.022	0.002
Molybdenum	EPA 200.7	ND	0.5
Nickel	EPA 200.7	ND	0.4
Selenium	EPA 200.7	ND	1.0
Silver	EPA 200.7	ND	0.2
Thallium	EPA 200.7	ND	1.5
Vanadium	EPA 200.7	6.3	0.3
Zinc	EPA 200.7	10.1	0.3

Reviewed and Approved _____ on / /1994
William H. Christensen
Deliverables Manager

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

PRELIMINARY DATA
QC REVIEW PENDING
PROJECT MANAGER

ANALYTICAL REPORT

City of Los Angeles
Solid Waste Management Division
11950 Lopez Canyon Road
Lake View Terrace, CA 91342

Attn: Javier Polanco
RE: Lopez Canyon Landfill

Date Sampled: 07/12/94
Date Received: 07/13/94
Date Extracted: 07/14/94
Date Analyzed: 07/15/94
Work Order No.: 94-07-169
Method: EPA 608
Page 1 of 3

All concentrations are reported in µg/L (ppb).

Sample Number: Seepage From "A" Canyon

Analyte	Concentration	Reportable Limit
Alpha-BHC	ND	0.02
Beta-BHC	ND	0.02
Delta-BHC	ND	0.02
Gamma-BHC (Lindane)	ND	0.02
Heptachlor	ND	0.02
Aldrin	ND	0.02
Heptachlor Epoxide	ND	0.02
Endosulfan I	ND	0.02
Dieldrin	ND	0.02
4,4'-DDE	ND	0.02
Endrin	ND	0.02
Endosulfan II	ND	0.02
4,4'-DDD	ND	0.02
Endrin Aldehyde	ND	0.02
Endosulfan Sulfate	ND	0.02
4,4'-DDT	ND	0.02
Methoxychlor	ND	0.02
Chlordane	ND	0.2
Toxaphene	ND	0.2
Aroclor-1016	ND	0.2
Aroclor-1221	ND	0.2
Aroclor-1232	ND	0.2
Aroclor-1242	ND	0.2
Aroclor-1248	ND	0.2
Aroclor-1254	ND	0.2
Aroclor-1260	ND	0.2
Aroclor-1262	ND	0.2

PRELIMINARY DATA
QC REVIEW PENDING
PROJECT MANAGER

ANALYTICAL REPORT

City of Los Angeles
Solid Waste Management Division
11950 Lopez Canyon Road
Lake View Terrace, CA 91342

Attn: Javier Polanco
RE: Lopez Canyon Landfill

Date Sampled: 07/12/94
Date Received: 07/13/94
Date Extracted: 07/14/94
Date Analyzed: 07/15/94
Work Order No.: 94-07-169
Method: EPA 608
Page 2 of 3

All concentrations are reported in µg/L (ppb).

Sample Number: Method Blank

Analyte	Concentration	Reportable Limit
Alpha-BHC	ND	0.02
Beta-BHC	ND	0.02
Delta-BHC	ND	0.02
Gamma-BHC (Lindane)	ND	0.02
Heptachlor	ND	0.02
Aldrin	ND	0.02
Heptachlor Epoxide	ND	0.02
Endosulfan I	ND	0.02
Dieldrin	ND	0.02
4,4'-DDE	ND	0.02
Endrin	ND	0.02
Endosulfan II	ND	0.02
4,4'-DDD	ND	0.02
Endrin Aldehyde	ND	0.02
Endosulfan Sulfate	ND	0.02
4,4'-DDT	ND	0.02
Methoxychlor	ND	0.02
Chlordane	ND	0.2
Toxaphene	ND	0.2
Aroclor-1016	ND	0.2
Aroclor-1221	ND	0.2
Aroclor-1232	ND	0.2
Aroclor-1242	ND	0.2
Aroclor-1248	ND	0.2
Aroclor-1254	ND	0.2
Aroclor-1260	ND	0.2
Aroclor-1262	ND	0.2

PRELIMINARY DATA
QC REVIEW PENDING
PROJECT MANAGER GLD

ANALYTICAL REPORT

City of Los Angeles
Solid Waste Managment Division
11950 Lopez Canyon Road
Lake View Terrace, CA 91342

Attn: Ed Figueroa
RE: Lopez Canyon Landfill

Date Sampled: 07/12/94
Date Received: 07/13/94
Date Extracted: P/T
Date Analyzed: 07/13/94
Work Order No.: 94-07-169
Method: EPA 624
Page 1 of 2

All concentrations are reported in µg/L (ppb).

Sample Number: Seepage From Bottom of "A" Canyon

Analyte	Conc	Reportable Limit	Analyte	Conc	Reportable Limit
Acetone	ND	25	1,1-Dichloroethene	ND	5
Benzene	ND	5	Trans-1,2-Dichloroethene	ND	5
Bromodichloromethane	ND	5	1,2-Dichloropropane	ND	5
Bromoform	ND	5	Cis-1,3-Dichloropropene	ND	5
Bromomethane	ND	10	Trans-1,3-Dichloropropene	ND	5
2-Butanone	ND	25	Ethylbenzene	ND	5
Carbon Disulfide	ND	25	2-Hexanone	ND	25
Carbon Tetrachloride	ND	5	Methylene Chloride	ND	10
Chlorobenzene	ND	5	4-Methyl-2-Pentanone	ND	25
Chloroethane	ND	5	Styrene	ND	25
2-Chloroethyl Vinyl Ether	ND	5	1,1,2,2-Tetrachloroethane	ND	5
Chloroform	ND	5	Tetrachloroethene	ND	5
Chloromethane	ND	10	Toluene	ND	5
1,3 Dichlorobenzene	ND	5	1,1,1-Trichloroethane	ND	5
1,4-Dichlorobenzene	ND	5	1,1,2-Trichloroethane	ND	5
1,2-Dichlorobenzene	ND	5	Trichloroethene	ND	5
Dibromochloromethane	ND	5	Trichlorofluoromethane	ND	10
Dichlorodifluoromethane	ND	10	Vinyl Acetate	ND	25
1,1-Dichloroethane	ND	5	Vinyl Chloride	ND	10
1,2-Dichloroethane	ND	5	Total Xylenes	ND	10

Cal Science
714-895-5[illegible]4

PRELIMINARY DATA
QC REVIEW PENDING
PROJECT MANAGER CCO

ANALYTICAL REPORT

City of Los Angeles
Solid Waste Managment Division
11950 Lopez Canyon Road
Lake View Terrace, CA 91342

Attn: Ed Figueroa
RE: Lopez Canyon Landfill

Date Sampled: 07/12/94
Date Received: 07/13/94
Date Extracted: P/T
Date Analyzed: 07/13/94
Work Order No.: 94-07-169
Method: EPA 624
Page 2 of 2

All concentrations are reported in µg/L (ppb).

Sample Number: Method Blank

Analyte	Conc	Reportable Limit	Analyte	Conc	Reportable Limit
Acetone	ND	5	1,1-Dichloroethene	ND	1
Benzene	ND	1	Trans-1,2-Dichloroethene	ND	1
Bromodichloromethane	ND	1	1,2-Dichloropropane	ND	1
Bromoform	ND	1	Cis-1,3-Dichloropropene	ND	1
Bromomethane	ND	2	Trans-1,3-Dichloropropene	ND	1
2-Butanone	ND	5	Ethylbenzene	ND	1
Carbon Disulfide	ND	5	2-Hexanone	ND	5
Carbon Tetrachloride	ND	1	Methylene Chloride	ND	2
Chlorobenzene	ND	1	4-Methyl-2-Pentanone	ND	5
Chloroethane	ND	1	Styrene	ND	5
2-Chloroethyl Vinyl Ether	ND	1	1,1,2,2-Tetrachloroethane	ND	1
Chloroform	ND	1	Tetrachloroethene	ND	1
Chloromethane	ND	2	Toluene	ND	1
1,3-Dichlorobenzene	ND	1	1,1,1-Trichloroethane	ND	1
1,4-Dichlorobenzene	ND	1	1,1,2-Trichloroethane	ND	1
1,2-Dichlorobenzene	ND	1	Trichloroethene	ND	1
Dibromochloromethane	ND	1	Trichlorofluoromethane	ND	2
Dichlorodifluoromethane	ND	2	Vinyl Acetate	ND	5
1,1-Dichloroethane	ND	1	Vinyl Chloride	ND	2
1,2-Dichloroethane	ND	1	Total Xylenes	ND	2

Reviewed and Approved _____ on __/__/1994
William H. Christensen
Deliverables Manager

ND denotes not detected at indicated reportable limit.

Each sample was received by CEL chilled, intact, and with chain-of-custody attached.

PRELIMINARY DATA
QC REVIEW PENDING
PROJECT MANAGER

ANALYTICAL REPORT

City of Los Angeles
Solid Waste Management Division
11950 Lopez Canyon Road
Lake View Terrace, CA 91342

Attn: Javier Polanco
RE: Lopez Canyon Landfill

Date Sampled: 07/12/94
Date Received: 07/13/94
Date Extracted: 07/13/94
Date Analyzed: 07/15/94
Work Order No.: 94-07-169
Method: EPA 625

Report for sample number Seepage From "A" Canyon. All concentrations are reported in µg/L (ppb). ND denotes not detected at indicated reportable limit. Each sample was received in a chilled state, intact, and with chain-of-custody attached.

Analyte	Conc	Reportable Limit
N-Nitrosodimethylamine	ND	5
Aniline	ND	5
Phenol	ND	5
Bis(2-Chloroethyl) Ether	ND	5
2-Chlorophenol	ND	5
1,3-Dichlorobenzene	ND	5
1,4-Dichlorobenzene	ND	5
Benzyl Alcohol	ND	50
1,2-Dichlorobenzene	ND	5
2-Methylphenol	ND	5
Bis(2-Chloroisopropyl) Ether	ND	5
4-Methylphenol	ND	5
N-Nitroso-Di-n-propylamine	ND	5
Hexachloroethane	ND	5
Nitrobenzene	ND	5
Isophorone	ND	5
2-Nitrophenol	ND	5
2,4-Dimethylphenol	ND	5
Benzoic Acid	ND	50
Bis(2-Chloroethoxy) Methane	ND	5
2,4-Dichlorophenol	ND	5
1,2,4-Trichlorobenzene	ND	5
Naphthalene	ND	5
4-Chloroaniline	ND	5
Hexachlorobutadiene	ND	5
4-Chloro-3-Methylphenol	ND	5
2-Methylnaphthalene	ND	5
Hexachlorocyclopentadiene	ND	5
2,4,6-Trichlorophenol	ND	5
2,4,5-Trichlorophenol	ND	5
2-Chloronaphthalene	ND	5
2-Nitroaniline	ND	50
Dimethylphthalate	ND	5
Acenaphthylene	ND	5

Analyte	Conc	Reportable Limit
3-Nitroaniline	ND	50
Acenaphthene	ND	5
2,4-Dinitrophenol	ND	50
4-Nitrophenol	ND	50
Dibenzofuran	ND	5
2,4-Dinitrotoluene	ND	5
2,6-Dinitrotoluene	ND	5
Diethylphthalate	ND	5
4-Chlorophenyl-Phenyl Ether	ND	5
Fluorene	ND	5
4-Nitroaniline	ND	50
Azobenzene	ND	5
4,6-Dinitro-2-Methylphenol	ND	50
N-Nitrosodiphenylamine	ND	5
4-Bromophenyl-Phenyl Ether	ND	5
Hexachlorobenzene	ND	5
Pentachlorophenol	ND	50
Phenanthrene	ND	5
Anthracene	ND	5
Di-n-Butylphthalate	ND	5
Fluoranthene	ND	5
Benzidine	ND	5
Pyrene	ND	5
Butylbenzylphthalate	ND	5
3,3'-Dichlorobenzidine	ND	5
Benzo (a) Anthracene	ND	5
Bis(2-Ethylhexyl) Phthalate	ND	5
Chrysene	ND	5
Di-n-Octyl Phthalate	ND	25
Benzo (b and k) Fluoranthenes	ND	25
Benzo (a) Pyrene	ND	25
Indeno (1,2,3-cd) Pyrene	ND	25
Dibenzo (a,h) Anthracene	ND	25
Benzo (g,h,i) Perylene	ND	25

PRELIMINARY DATA
QC REVIEW PENDING
PROJECT MANAGER

ANALYTICAL REPORT

City of Los Angeles
Solid Waste Management Division
11950 Lopez Canyon Road
Lake View Terrace, CA 91342

Attn: Javier Polanco
RE: Lopez Canyon Landfill

Date Sampled: 07/12/94
Date Received: 07/13/94
Date Extracted: 07/13/94
Date Analyzed: 07/15/94
Work Order No.: 94-07-169
Method: EPA 625
Page 2 of 2

Report for sample number Method Blank. All concentrations are reported in µg/L (ppb). ND denotes not detected at indicated reportable limit. Each sample was received in a chilled state, intact, and with chain-of-custody attached.

Analyte	Conc	Reportable Limit	Analyte	Conc	Reportable Limit
N-Nitrosodimethylamine	ND	5	3-Nitroaniline	ND	50
Aniline	ND	5	Acenaphthene	ND	5
Phenol	ND	5	2,4-Dinitrophenol	ND	50
Bis(2-Chloroethyl) Ether	ND	5	4-Nitrophenol	ND	50
2-Chlorophenol	ND	5	Dibenzofuran	ND	5
1,3-Dichlorobenzene	ND	5	2,4-Dinitrotoluene	ND	5
1,4-Dichlorobenzene	ND	5	2,6-Dinitrotoluene	ND	5
Benzyl Alcohol	ND	50	Diethylphthalate	ND	5
1,2-Dichlorobenzene	ND	5	4-Chlorophenyl-Phenyl Ether	ND	5
2-Methylphenol	ND	5	Fluorene	ND	5
Bis(2-Chloroisopropyl) Ether	ND	5	4-Nitroaniline	ND	50
4-Methylphenol	ND	5	Azobenzene	ND	5
N-Nitroso-Di-n-propylamine	ND	5	4,6-Dinitro-2-Methylphenol	ND	50
Hexachloroethane	ND	5	N-Nitrosodiphenylamine	ND	5
Nitrobenzene	ND	5	4-Bromophenyl-Phenyl Ether	ND	5
Isophorone	ND	5	Hexachlorobenzene	ND	5
2-Nitrophenol	ND	5	Pentachlorophenol	ND	50
2,4-Dimethylphenol	ND	5	Phenanthrene	ND	5
Benzoic Acid	ND	50	Anthracene	ND	5
Bis(2-Chloroethoxy) Methane	ND	5	Di-n-Butylphthalate	ND	5
2,4-Dichlorophenol	ND	5	Fluoranthene	ND	5
1,2,4-Trichlorobenzene	ND	5	Benzidine	ND	5
Naphthalene	ND	5	Pyrene	ND	5
4-Chloroaniline	ND	5	Butylbenzylphthalate	ND	5
Hexachlorobutadiene	ND	5	3,3'-Dichlorobenzidine	ND	5
4-Chloro-3-Methylphenol	ND	5	Benzo (a) Anthracene	ND	5
2-Methylnaphthalene	ND	5	Bis(2-Ethylhexyl) Phthalate	ND	5
Hexachlorocyclopentadiene	ND	5	Chrysene	ND	5
2,4,6-Trichlorophenol	ND	5	Di-n-Octyl Phthalate	ND	25
2,4,5-Trichlorophenol	ND	5	Benzo (b and k) Fluoranthenes	ND	25
2-Chloronaphthalene	ND	5	Benzo (a) Pyrene	ND	25
2-Nitroaniline	ND	50	Indeno (1,2,3-cd) Pyrene	ND	25
Dimethylphthalate	ND	5	Dibenzo (a,h) Anthracene	ND	25
Acenaphthylene	ND	5	Benzo (g,h,i) Perylene	ND	25

Reviewed and Approved _____ on __/__/1994
William H. Christensen
Deliverables Manager

ATTACHMENT TWO

LOCAL ENFORCEMENT AGENCY LETTER TO CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD

JULY 26, 1994

CITY OF LOS ANGELES
CALIFORNIA

ENVIRONMENTAL AFFAIRS
DEPARTMENT

LILLIAN Y. KAWASAKI
GENERAL MANAGER

200 N. SPRING ST.
ROOM 1500, MS 177
LOS ANGELES, CA 90012
(213) 237-0462

RICHARD J. RIORDAN
MAYOR

July 26, 1994

Mr. Rod Nelson, Senior Engineering Geologist
California Regional Water Quality Control Board
101 Centre Plaza
Monterey Park, CA 91754

Dear Rod:

Subject: Follow Up on Lopez Canyon Seep Meeting

This is to review items for follow up between our respective agencies as a result of our July 22, 1994 meeting in which the Bureau of Sanitation, its consultant, Geosyntec, your agency and the LEA met and discussed the seepage incident. This agency role delineation was developed in compliance with the LEA Advisory dated Jan. 31, 1994 entitled "Interim Guidelines for Enforcement of State Minimum Standards at Disposal Sites". The delegation of responsibility indicated herein is intended to eliminate duplication of efforts with respect to our agencies' roles in controlling the seepage problem. Sections referred to indicate sections in the California Code of Regulation, Title 14, Division 7, Chapter 3, Articles 7.1 through 7.8.

Monitoring (CCR §17709)

The RWQCB will be the lead agency for the following: 1). Review of sampling results; 2). Establishing criteria for monitoring of seepage water; 3). Determination of on-going reporting requirements; and 4). Determination of proper disposal methods for seepage water.

The LEA will review copies of all plans for addressing the seepage and will provide written comments or concerns, in timely manner, directly to the RWQCB. The LEA will immediately refer any unusual occurrences regarding this or future seepage incidents to the RWQCB for follow up. The LEA will review and file monitoring results in its office files and require the facility to provide all information regarding monitoring data regarding this seepage occurence, in a file at the facility and make the file available for inspectional staff review. Any issues of concern by the LEA regarding monitoring results will be immediately referred to the RWQCB. The California Integrated Waste Management Board (CIWMB) will be provided with all information concerning this seepage occurence and will be informed of plans to monitor and control the seepage.

AN EQUAL EMPLOYMENT OPPORTUNITY – AFFIRMATIVE ACTION EMPLOYER Recyclable and made from recycled waste

Closure Plan Modification Review (CCR §17778)

The RWQCB will be lead agency to determine and notify the operator of any requirements for amending drainage design plans, with respect to this seepage incident. The RWQCB will provide a copy of any directives to the LEA which are issued to the operator with respect to this seepage incident.

The RWQCB, CIWMB and the LEA will have joint responsibility to review amended plans for the subsurface drainage of the area below Canyon "A", which includes the area of the seepage. The CIWMB and LEA are responsible to provide a timely review and comments back to the RWQCB on the amended drainage plans.

The LEA will be lead agency in handling RWQCB staff concerns regarding worker health and safety or public safety with respect to final drainage plans. The LEA will be responsible to make proper, timely referrals on matters out of its jurisdiction.

The LEA acknowledges that the RWQCB has lead responsibility for the following:

Groundwater monitoring during normal operations and during closure and postclosure.

The LEA acknowledges that the RWQCB and the LEA have joint responsibility for the following:

Leachate control during normal operations and closure and postclosure.
Gas monitoring and control during normal operations and closure and postclosure.
Slope protection and erosion control during normal operations and closure and postclosure.
Final cover during closure and postclosure.
Construction quality assurance during normal operations and closure and postclosure.

The LEA acknowledges that the LEA has lead responsibility for the following:

All LEA inspectional, permitting and enforcement responsibilities, as specified in Title 14.
Emergency response plans for normal operation and closure and postclosure.
Site security.
Inspection upon completion.
Structure removal.

Please call me at 213/485-9957 if you have any questions.

Sincerely,

Wayne Tsuda, Division Director
Environmental Affairs Department

WT:wt\d:D:\WPFILES\LEA\RWQCB.MEM

ATTACHMENT THREE

INTERAGENCY MEETING JULY 22, 1994

MEETING MINUTES

FORM GEN. 160 (Rev. 6-80)

CITY OF LOS ANGELES

INTER-DEPARTMENTAL CORRESPONDENCE

Date: July 26, 1994

To: All Meeting Attendees

From: Wayne Tsuda, Division Director
Environmental Affairs Department

Subject: July 22, 1994, Meeting Summary Regarding the Lopez Canyon Seep

ATTENDEES

Wayne Tsuda, Environmental Affairs, Local Enforcement Agency
David Thompson, Environmental Affairs, Local Enforcement Agency
Jennifer Castro, Environmental Affairs, Local Enforcement Agency
Turner Johnson, Bureau of Sanitation
John de la Rosa, Bureau of Sanitation
Harry Sizemore, Bureau of Sanitation
Ken Redd, Bureau of Sanitation
Rod Nelson, Regional Water Quality Control Board
Ed Kavazanjian, GeoSyntec Consultants

The Environmental Affairs Department convened a meeting at 10:00 a.m. on July 22, 1994 to discuss the seep at the toe of "A" Canyon at the Lopez Landfill. The purpose of the meeting was to discuss all facts known about the origin of the seepage, short and long term collection and disposal procedures, and overall impact on closure plan implementation and to obtain information from the Bureau of Sanitation (BOS) and their consultant on how the Bureau is planning to proceed.

Meeting Summary

A brief overview of the discovery of the seep was presented by BOS staff. and is summarized as follows: On July 12, 1994, crews were excavating native soil down to bedrock in a canyon directly beneath canyon "A". This was being done so that a subsurface drainage system could be installed. When crews were working they noticed a damp spot in an area about nine feet below the original grade. A sample of the water was collected and work was halted. By the afternoon of the 12th, all standing water was gone and there was only some dampness in the area. A telephone notification was made to the LA office of the Regional Water Quality Control Board (RWQCB) and the Local Enforcement Agency (LEA). Between the 12th and the 21st, water continued to accumulate at the area. By about 4:00 pm on July 21, 1994, the water was pooling and was approximately 10 inches deep.

Facts Discussed

The sample analysis from July 12 showed a pH of 6.74 and no volatile organic compounds (VOC's), and no semi-volatile compounds. It was the opinion of the Bureau's consultant, Ed Kavazanjian, that since the analysis indicated a high content of solids, the water has been in contact with rock for a long time. It is believed to be perched ground water and not leachate or water contaminated by leachate. The source of water is probably from a thin (6 to 12 inches) sandstone layer between two shale layers found within a geologic formation known as the Towelsy. The layer starts away from the landfill and goes under just a small area of refuse. The layer is at a steep angle of approximately 60 degrees. It is believed to be surface in an adjacent area of the landfill property. If so, it may be recharged with seasonal rainfall. This is a relatively common occurrence for there to be trapping of purged water in this type of formation. During the excavation of "C" canyon, there were damp spots that were detected. The damp spots may have been in the Towelsy layer also. If they are in the Towelsy layer and if there is any sample analysis, the sample results will be compared to those of the seep. The BOS consultant included he will be researching this and reporting to RWQCB with any information. When asked what usually happens with seepages in excavated areas, the Mr. Kavazanjian stated that there was usually a flow out, which lasted for a few hours to a few days, and then the area would dry out. If the formation were being recharged, then this condition would reoccur.

Mr. Nelson of the RWQCB suggested that the consultant look into any analytical results from seeps or other samples taken in the Towelsy formation. If this data are not available, he suggested taking a core sample of the sandstone layer and conducting a permeability test on the material. Mr. Nelson wanted to know where the layer surfaces and asked if it could be mapped..

Short Term Plans

Mr. Nelson stated that the seepage water should be collected and tested before being discharged to the sewer, providing the sewering agency approves.

Long Term Plan

The Bureau will be amending its closure plan to include a vault in the sub-drain to collect the water and a tank will be installed to store the water pumped from the vault. The water would be tested, treated, and released to the sewer. Amended plans will be sent to the RWQCB and the LEA for approval.

Affect on Closure Plan

It was estimated by BOS staff that this will delay the installation of the subdrain by approximately one month. Closure work has been halted since the seep was discovered, but will re-start on July 25th. With the additional work of installation of the sub-drain and the two week delay, it appears that the construction elements of closure may be delayed approximately one month.

Public Comments

Mr. Ken Redd of the BOS stated that Chris Harris, the public relations consultant for the Bureau, has been in contact with the community and no concerns regarding the seepage were voiced by those she called. Additionally, no unsolicited calls had been received regarding the seep.

The meeting ended at approximately 11:20 a.m.

ITY OF LOS ANGELE
CALIFORNIA

ELIAS MARTINEZ
City Clerk

J. Michael Carey
Executive Officer

When making inquiries relative to this matter refer to File No.

RICHARD J. RIORDAN
MAYOR

Office of
CITY CLERK
Council and Public Services
Room 395, City Hall
Los Angeles, CA 90012
Council File Information - (213) 485-5703
General Information - (213) 485-5705

Pat Healy
Chief Legislative Assistant

94-1243

July 21, 1994

Dr. Robert Ghirelli, Executive Officer
California Regional Water Quality Board
101 Centre Plaza Drive
Monterey Park, CA 91754

Dear Dr. Ghirelli:

At the direction of the Chair of the Environmental Quality and Waste Management Committee, I am requesting a representative from your office to attend a Special Joint Environmental Quality and Waste Management and Pubic Works Committee meeting to be held on Wednesday, July 27, 1994 at 1:30 in Room 238 of City Hall. The Chair has requested that said representative be prepared to respond to the concerns of the Committee regarding the attached Motion (Alarcon-Chick) relative to water seepage at Lopez Canyon Landfill.

If you have any questions concerning this request, I can be contacted at (213) 485-5775.

Sincerely,

Raymond D. Crisp

Raymond D. Crisp
Legislative Assistant
Environmental Quality and Waste Management Committee

cc: Rod Nelson, Senior Engineering Geologist
Councilmember Laura Chick

ELIAS MARTINEZ
City Clerk

J. Michael Carey
Executive Officer

When making inquiries relative to this matter refer to File No.

CITY OF LOS ANGELES
CALIFORNIA

RICHARD J. RIORDAN
MAYOR

Office of
CITY CLERK
Council and Public Services
Room 395, City Hall
Los Angeles, CA 90012
Council File Information - (213) 485-5703
General Information - (213) 485-5705

Pat Healy
Chief Legislative Assistant

94-1243

CD 7

July 21, 1994

ENVIRONMENTAL QUALITY AND WASTE MANAGEMENT COMMITTEE
PUBLIC WORKS COMMITTEE

At the meeting of the Council held July 19, 1994, the motion (Alarcón - Chick) attached to the file, was referred to the ENVIRONMENTAL QUALITY AND WASTE MANAGEMENT AND PUBLIC WORKS COMMITTEE.

Elias Martinez
City Clerk
crm

Recyclable and made from recycled waste.

mcp
C07

JOINT REFERRAL

ENVIR. QUAL. and WASTE MGT.

MOTION

PUBLIC WORKS

JUL 19 1994

On Friday, July 15, 1994 at 3:00 p.m., a site manager at Lopez Canyon Landfill filed a Special Occurrence Notification with the Environmental Affairs Department to report that an inspection of Lopez Canyon Landfill revealed water seepage at the toe (bottom) of Canyon A. The seepage of a water puddle approximately 5x6 feet in area and three inches deep.

Since Lopez Canyon Landfill is located in the proximity of Lake View Terrace community, any special occurrence that arises which may affect the environment of the surrounding community is serious and must be thoroughly investigated.

I THEREFORE MOVE that the Bureau of Sanitation and the Environmental Affairs Department report back at the next scheduled joint meeting of the Public Works Committee on the status of the investigation, including a laboratory analysis of the safety of the groundwater in the area.

I FURTHER MOVE that the Bureau of Sanitation and the Environmental Affairs Department report back at the next scheduled meeting of the Public works Committees a listing of all Special Occurrence Notifications filed regarding Lopez Canyon Landfill since 1991, as well as a report of their investigation.

Environmental Quality & Waste Management

PRESENTED BY: Richard Alarcon

Richard Alarcón
Councilmember, 7th District

SECONDED BY: Laura Chick

JOINT REFERRAL

MOTION

ENVIR. QUAL. and WASTE MGT. PUBLIC WORKS

JUL 19 1994

On Friday, July 15, 1994 at 3:00 p.m., a site manager at Lopez Canyon Landfill filed a Special Occurrence Notification with the Environmental Affairs Department to report that an inspection of Lopez Canyon Landfill revealed water seepage at the toe (bottom) of Canyon A. The seepage of a water puddle approximately 5x6 feet in area and three inches deep.

Since Lopez Canyon Landfill is located in the proximity of Lake View Terrace community, any special occurrence that arises which may affect the environment of the surrounding community is serious and must be thoroughly investigated.

I THEREFORE MOVE that the Bureau of Sanitation and the Environmental Affairs Department report back at the next scheduled meeting of the Public Works Committee on the status of the investigation, including a laboratory analysis of the safety of the groundwater in the area.

I FURTHER MOVE that the Bureau of Sanitation and the Environmental Affairs Department report back at the next scheduled joint meeting of the Public works Committees a listing of all Special Occurrence Notifications filed regarding Lopez Canyon Landfill since 1991, as well as a report of their investigation.

Environmental Quality & Waste Management

PRESENTED BY: Richard Alarcon

Richard Alarcón
Councilmember, 7th District

SECONDED BY: Laura Chick